

CITY OF TORRANCE, CALIFORNIA

**ADDENDUM NO. 1
Issued: February 26, 2014**

TO

**PROPOSAL, SPECIFICATIONS, BOND AND
AFFIDAVIT FOR THE CONSTRUCTION
OF
STORMWATER BASIN ENHANCEMENT PROJECT, I-102
B2014-12**

Note the following changes and/or additions to the Plans and Specifications for the project indicated above. The bidder shall execute the Certification at the end of this addendum, and shall **attach all pages of this addendum to the Contract Documents submitted with the Bid**. In addition, the bidder shall complete and submit the "Acknowledgment of Addenda Received" Form provided in Section C of the Specifications.

1. **Refer to SPECIFICATIONS PAGE A-1 NOTICE INVITING BIDS and any independent identical copy of the Notice Inviting Bids either posted on the City's project website at <http://www.torranceca.gov/3239.htm> or as published in the Daily Breeze:**

The first paragraph is hereby revised as follows:

"Notice is hereby given that sealed bids for performing the following described work will be received at the Office of the City Clerk of the City of Torrance, California, **until 3:00 p.m. on Monday, March 10, 2014**, after which time they will be publicly opened and read at **3:15 p.m.** in the Council Chambers of said City."

The sixth paragraph is hereby revised as follows:

"**The Contractor shall provide reference for the Contractor or its' designated sub-Contractor for having completed at least one project that included the construction of riparian landscaping, i.e. landscaping to create a river, stream or wetland, of a minimum value of \$200,000 for the riparian landscaping portion of the project.**"

2. **Refer to SPECIAL PROVISIONS, SECTION 202 – MASONARY MATERIALS:**

Section 202-2.4.5 Quality Assurance, Items A., 1. & 2. page 33 are hereby revised as follows:

"1. The Contractor or his designated sub-Contractor has been successfully utilized on a minimum of two (2) similar projects, i.e. height, soil fill types, erection tolerances, etc.; and

2. The Contractor or his designated sub-Contractor successfully installed a minimum of 10,000 square feet of Keystone retaining walls."

3. **Refer to SPECIAL PROVISIONS, SECTION 308-6 MAINTENANCE AND PLANT ESTABLISHMENT:**

The first and second paragraph on page 87 are hereby revised as follows:

"The Establishment and Maintenance Period shall begin on the first day after all planting in the Work is completed and accepted, and shall continue thereafter until **90** calendar days have passed. Notify the Engineer at least 15 days in advance of completion. Failure by the Contractor to notify the Engineer will delay the start of the Establishment and Maintenance Period.

Should the Establishment and Maintenance Period be extended beyond the prescribed calendar days because of rejection by the Engineer for whatever reason, the entire installation shall remain the responsibility of the Contractor unless otherwise determined by the Engineer. Any rejected material shall be replaced and the **90** calendar day Establishment and Maintenance Period shall be restarted from that time for the replaced material only."

4. **Refer to SPECIAL PROVISIONS, SECTION 315-2 PRODUCTS:**

Section 315.2.2 Precast Concrete Structures, page 102 add the following:

"B. The Contractor has the option to cast-in-place the concrete structures for the Pump Station per the plans and specifications, provided that a shop drawing is submitted for the concrete structures stamped and signed by a licensed Structural Engineer and approved by the Engineer."

Section 315.2.6 Pump Station Controls, page 107 is hereby revised as follows:

Omit Section 315.2.6. The existing Amie Basin Pump Station electrical supply and controls are to remain in place. This contract only adds the new irrigation pump. The new irrigation pump is controlled by the irrigation controller specified and shown on the Landscape Drawings.

By Order of the City Engineer



CRAIG BILEZERIAN
City Engineer

BIDDER'S CERTIFICATION

I acknowledge receipt of the foregoing Addendum No. 1 and accept all conditions contained therein.

Bidder

By

Date

******* Submit this executed form with the bid *******

**Please fill out and submit the
"Acknowledgment of Addenda Received" form
provided in Section C of the Specifications.**